


ROMI

MODELLO TORNO
MASCHINEN MODELL


E 280

D - 25

MANDRINO PRINCIPALE E SECONDARIO
HAUPTSPINDEL / GEGENSPINDEL









DIAMETRO ROTAZIONE
ROTATIONS DURCHMESSER / SCHWINGKREIS



F: GHIERA INTERNA / INTERNE SPANNZANGE

MODELLO MODELL	LAVORAZIONE OPERATION	PINZA SPANNZANGE	VELOCITÀ (giri/min) DREHZAHL (U/Min.)	COPPIA DREHMOMENT (Nm)	RAPPORTO ÜBERSETZUNG	H (mm)	LUNGHEZZA UTENSILE WERKZEUGLÄNGE	REFRIGERAZIONE KÜHLSCHMIER- MITTEL	CODICE TEILE NUMMER
1 	LT-S RADIALE RADIAL $r_1 = r_2$	ER25 (Ø 2-16)	6000	40	1:1	82	-	esterna extern	05090000
2 	LT-S RADIALE RADIAL $r_1 = r_2$	ER25-F (Ø 2-16)	6000	40	1:1	74	-	esterna extern	05095300
		ER25-F (Ø 2-16)	6000	40	1:1	74	-	int. / est. int. / ext.	05095200
3 	LT-S RADIALE RADIAL $r_1 = r_2$	DIN 138-16 (Ø 16)	6000	40	1:1	65.5	-	esterna extern	05090100

MODELLO MODELL	LAVORAZIONE OPERATION	PINZA SPANNZANGE	VELOCITÀ (gir/min) DREHZAHL (U/Min.)	COPPIA DREHMOMENT (Nm)	RAPPORTO ÜBERSETZUNG	H (mm)	LUNGHEZZA UTENSILE WERKZEUGLÄNGE	REFRIGERAZIONE KÜHL-SCHMIER- MITTEL	CODICE TEILE NUMMER
4 	LT-S OFS RADIALE RADIAL	ER25-F (Ø 2-16)	6000	40	1:1	90.5	-	esterna extern	05095100
	$r_1 = r_2$	ER25-F (Ø 2-16)	6000	40	1:1	90.5	-	int. / est. int. / ext.	05090600
5 	LT-S OFS RADIALE RADIAL	ER20-F (Ø 2-13)	in / eing. 5000 out / ausg. 15000	in / eing. 9 out / ausg. 3	1:3	91.5	-	esterna extern	05095000
$r_1 = r_2$									
6 	LT-A ASSIALE AXIAL	ER25-F (Ø 2-16)	6000	25	1:1	60	-	esterna extern	05090200
	$r_1 = r_2$	ER25-F (Ø 2-16)	6000	25	1:1	60	-	int. / est. int. / ext.	05090400
7 	LT-A ASSIALE AXIAL	DIN 138-16 (Ø 16)	6000	25	1:1	60	-	esterna extern	05090300
$r_1 = r_2$									
8 	LT-A ASSIALE AXIAL	ER25-F (Ø 2-16)	6000	40	1:1	60	-	esterna extern	05090500
$r_1 = r_2$ r_1 contrario umgekehrt r_3									
9 	LT-T ASSIALE AXIAL RADIALE RADIAL	ER16-F (Ø 1-10)	4000	13	1:1	132	-	esterna extern	05095400
r_1 contrario umgekehrt r_2									


ROMI

MODELLO TORNO
MASCHINEN MODELL


E 320

D - 30

MANDRINO PRINCIPALE E SECONDARIO
HAUPTSPINDEL / GEGENSPINDEL









DIAMETRO ROTAZIONE
ROTATIONS DURCHMESSER / SCHWINGKREIS



F: GHIERA INTERNA / INTERNE SPANNZANGE

MODELLO MODELL	LAVORAZIONE OPERATION	PINZA SPANNZANGE	VELOCITÀ (giri/min) DREHZAHL (U/Min.)	COPPIA DREHMOMENT (Nm)	RAPPORTO ÜBERSETZUNG	H (mm)	LUNGHEZZA UTENSILE WERKZEUGLÄNGE	REFRIGERAZIONE KÜHLSCHMIER- MITTEL	CODICE TEILE NUMMER
<p>1</p>	LT-S RADIALE RADIAL $r_1 = r_2$	ER32 (Ø 3-20)	6000	63	1:1	92	-	esterna extern	05091000
<p>2</p>	LT-S RADIALE RADIAL $r_1 = r_2$	ER32-F (Ø 3-20)	6000	63	1:1	85	-	int. / est. int. / ext.	05091600
<p>3</p>	LT-S RADIALE RADIAL $r_1 = r_2$	DIN 138-22 (Ø 22)	6000	63	1:1	74	-	esterna extern	05091100

MODELLO MODELL	LAVORAZIONE OPERATION	PINZA SPANNZANGE	VELOCITÀ (gir/min) DREHZAHL (U/Min.)	COPPIA DREHMOMENT (Nm)	RAPPORTO ÜBERSETZUNG	H (mm)	LUNGHEZZA UTENSILE WERKZEUGLÄNGE	REFRIGERAZIONE KÜHLSCHMIER- MITTEL	CODICE TEILE NUMMER
	LT-S OFS RADIALE RADIAL	ER32-F (Ø 3-20)	6000	50	1:1	95	-	esterna extern	05091800
	$r_1 = r_2$	ER32-F (Ø 3-20)	6000	50	1:1	95	-	int. / est. int. / ext.	05091700
	LT-S OFS RADIALE RADIAL	ER20-F (Ø 1-13)	in / eing. 5000 out / ausg. 15000	in / eing. 9 out / ausg. 3	1:3	91.5	-	esterna extern	05092400
$r_1 = r_2$									
	LT-A ASSIALE AXIAL	ER32-F (Ø 3-20)	6000	63	1:1	75	-	esterna extern	05091200
	$r_1 = r_2$	ER32-F (Ø 3-20)	6000	63	1:1	75	-	int. / est. int. / ext.	05091400
	LT-A ASSIALE AXIAL	DIN 138-22 (Ø 22)	6000	63	1:1	75	-	esterna extern	05091300
$r_1 = r_2$									
	LT-A ASSIALE AXIAL	ER32-F (Ø 3-20)	6000	63	1:1	75	-	esterna extern	05091500
$r_1 = r_2$ r_1 contrario umgekehrt r_3									
	LT-T ASSIALE AXIAL RADIALE RADIAL	ER16-F (Ø 1-10)	4000	13	1:1	132	-	esterna extern	05092000
r_1 contrario umgekehrt r_2									